



Designed By: Pat Harrison
Finished Quilt Size: 32" x 46"
Block Size: 12" x 12"
Number of Blocks: 4
Skill Level: Confident Beginner



Backing



45798 SJ



45799 J



45800 J




45801 A
(Inc. Binding)



45801 F



45801 M



45802 S



45800 E
(Backing)

FABRIC REQUIREMENTS	
Design:	Yards
45798 SJ	1 Panel
45799 J	$\frac{5}{8}$
45800 J	$\frac{1}{8}$
45801 A (Inc. Binding)	$\frac{5}{8}$
45801 F	$\frac{3}{8}$
45801 M	$\frac{5}{8}$
45802 S	$\frac{5}{8}$
45800 E (Backing)	$1\frac{1}{8}$

WOF = Width of Fabric

Cutting Instructions:

45798 SJ: Farm Fresh Vegetables Panel

- Cut 1 large vignette panel $\frac{1}{4}$ " beyond the outer black edge of the panel.
- Cut (4) $6\frac{1}{2}$ " x $6\frac{1}{2}$ " A vegetable squares.

45800 J: Black Vegetable Message Print

- Cut (1) $2\frac{3}{8}$ " x WOF strip. Recut strip into (16) $2\frac{3}{8}$ " squares. Cut each square in half on 1 diagonal to make 32 E triangles.

45801 F: Green Check

- Cut (2) $2\frac{3}{8}$ " x WOF strips. Recut strips into (32) $2\frac{3}{8}$ " squares. Cut each square in half on 1 diagonal to make 64 B triangles.

45801 M: Red Check

- Cut (1) $2\frac{3}{8}$ " x WOF strip. Recut strip into (16) $2\frac{3}{8}$ " squares. Cut each square in half on 1 diagonal to make 32 C triangles.
- Cut (1) $4\frac{1}{4}$ " x WOF strip. Recut strip into (4) $4\frac{1}{4}$ " squares. Cut each square in half on the diagonal twice to make 16 D triangles.
- Cut (2) $1\frac{1}{2}$ " x $24\frac{1}{2}$ " sashing strips.

- Cut (2) $1\frac{1}{2}$ " x 30" top and bottom border strips.
- Cut (2) $1\frac{1}{2}$ " x WOF side border strips.

45801 A: Gold Check

- Cut (1) $2\frac{3}{8}$ " x WOF strip. Recut strip into (16) $2\frac{3}{8}$ " squares. Cut each square in half on 1 diagonal to make 32 H triangles
- Cut (1) 2" x WOF strip. Recut strip into (16) 2" G squares.
- Cut (5) $2\frac{1}{4}$ " x WOF strips for binding.

45802 S: Yellow Line Print

- Cut (2) $1\frac{1}{2}$ " x WOF strips. Recut each strip into 1 strip each $1\frac{1}{2}$ " x 22" and $1\frac{1}{2}$ " x 14".
- Cut (3) 2" x WOF strips. Recut strips into (16) 2" J squares and (16) 2" x $3\frac{1}{2}$ " F rectangles.
- Cut (2) $2\frac{3}{8}$ " x WOF strips. Recut strips into (32) $2\frac{3}{8}$ " squares. Cut each square in half on 1 diagonal to make 64 I triangle

45799 J: Black Vegetable Print

- Cut (2) $3\frac{1}{2}$ " x 36" top and bottom border strips.
- Cut (3) $3\frac{1}{2}$ " x WOF strips for side border strips.


45800 E J: Beige Vegetable Message Print

- Cut (1) 40" x 54" backing piece.

Sewing Instructions:


Making the Gold Frame Blocks

1. Sew an E triangle to each short side of D to make a D-E unit. Press seams toward E. Repeat to make 16 units.




2. Sew a B triangle to a C triangle along the diagonal to make a B-C unit. Press seam toward C. Repeat to make 32 units.

3. Repeat step 2 to make 32 each B-I and H-I units.




Make 32 Units of Each Block In Diagram 2

4. Sew F to the D side of a D-E unit. Press seam toward F. Join 1 B-C and 1 B-I unit. Press seam toward the B-C side. Repeat to make a reverse unit. Sew 1 of these units to each end of the D-E-F unit to complete a side unit. Press seams toward the center unit. Repeat to make a total of 16 side units.




5. Join two H-I units with a G square and J square to make a corner unit. Press seams toward J and G and then toward the J-H-I side. Repeat to make 16 corner units.



6. To complete 1 block, sew a side unit to opposite sides of an A square to make the center row. Press seams toward A.

Diagram 5



7. Sew a corner unit to each end of 2 side units to make the side rows. Press seams toward the corner units.

Diagram 6: Side Row



8. Sew the side rows to the center row to complete 1 Frame block.

9. Repeat steps 6–8 to make a total of 4 blocks.

Diagram 7



Frame Block Unit



Make 4 Framed Block Units

Wall Quilt Assembly:

Refer to finished image on front of project sheet throughout assembly instructions.

1. Join 2 Frame blocks to make the top row. Press seam to 1 side. Repeat to make the bottom row. *Note: Be careful to keep the center squares in the blocks upright.*

2. Sew a 1 ½" x 22" yellow line print strip to opposite long sides of the trimmed panel; press seams toward strips and trim excess strip at each end even with the panel edges. Repeat with the 1 ½" x 14" strips. Trim the framed panel to 24 ½" x 12 ½" to make the center panel.

3. Sew a 1 ½" x 24 ½" red check sashing strip to opposite sides of the 24 ½" x 12 ½" center panel. Press seams toward strips.

4. Sew a block row to the top and bottom of the sashed center panel to complete the pieced center. Press seams away from the block rows. *Note: The block rows and panel are directional. Be careful to keep each one in an upright position when joining.*

5. Mark the center of each side of the quilt center with a pin. Fold each 1 ½" x WOF red check side strip in half and crease to mark the center of each strip.

6. Center a strip on 1 long side of the quilt center. Stitch in place, beginning and ending stitching ¼" from each corner. Fold the ends of the strip back toward the quilt center and pin to hold out of the way. Repeat with the second side strip.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

7. Repeat steps 5 and 6 with the (2) 1 ½" x 30" top and bottom strips.

8. Fold the quilt top in half diagonally with wrong sides together. Place the ends of 2 borders right sides together and pin to hold. Align the 45-degree angle line of a rotary cutting ruler on the border seam line. Mark a line from the end of the stitching line to the outer edge of the layered border strip ends. Stitch on the marked line. Trim ¼" beyond the stitched line. Unfold the quilt top. Press the mitered corner seam open.

9. Repeat step 8 on each corner of the quilt top. Press the border seams toward the border strips to complete the top.

10. Join the 3 ½" x WOF strips black vegetable print on the short ends to make a long strip; press seams open. Recut strip into (2) 1 ½" x 50" side strips.

11. Repeat steps 5–9 to add the 3 ½" x 50" and the 3 ½" x 36" strips to the sides and top and bottom of the quilt center, mitering corners. Press seams toward strips.

12. Join the 2 ¼"-wide gold check binding strips with diagonal seams, trim seams to ¼" and press open to make a long strip.

13. Layer the batting, backing, and completed top, then quilt and bind using your favorite methods to complete the wall quilt.