




Designed by: Pat Harrison
Finished Size: 43" x 61"
Skill Level: Confident Beginner



22240 W



22241 G




22241 O



22242 B



22242 S



22244 BZ



22245 W



22246 B



22246 W



22243 G



22245 S

FABRIC REQUIREMENTS	
Design	Yards
22240 W	1 panel
22241 G	1/4
22241 O	1 1/4
22242 B	1/4
22242 S	5/8
22244 BZ (Inc binding)	3/4
22245 W	1/2
22246 B	5/8
22246 W	3/8
22243 G	1/2
22245 S (Backing)	3

Cutting Directions:

WOF = Width of fabric

22240W

- Cut out three vignettes at 12 1/2" wide by 10 1/2" long, taking care to center each design.

22241G

- Cut 3 - 1 1/2" x WOF strips, subcut at 6 1/4", 18 needed for piano keys.

22241O

- Cut 3 - 1 1/2" x WOF strips, subcut at 6 1/4", 18 needed for piano keys.
- Cut 6 - 4 1/2" x WOF strips for Border #2.

22242B

- Cut 3 - 1 1/2" x WOF strips, subcut at 6 1/4", 18 needed for piano keys.

22242S

- Cut 2 - 1 1/2" x WOF strips, subcut at 6 1/4", 10 needed for piano keys.
- Cut 1 - 6 1/4" x WOF strip, subcut at 6 1/4" for corner blocks, 4 needed, label "G".

22243G

- Cut 2 - 1 1/2" x WOF strips, subcut at 6 1/4", 8 needed for piano keys.
- Cut 6 - 1 1/2" x WOF strips for Border #1.

22244BZ

- Cut 6 - 2" x WOF strips for binding.

22245W

- Cut 1 - 4" x WOF strips, subcut at 4". 8 needed for corner blocks, label "B".
- Cut 1 - 6" x WOF strip - subcut to four 6" squares Label "E".

22246B

- Cut 2 - 3" x WOF strips, subcut at 3", 12 needed for corner blocks, label "A".
- Cut 1 - 4" x WOF strips, subcut at 4". 8 needed for corner blocks, label "B".
- Cut 3 - 3" x WOF strips, subcut 2 at 12 1/2", subcut 6 at 10 1/2", for piano key blocks.

22246W

- Cut 2 - 2 1/4" x WOF strips, Subcut 4 at 2 1/4" X 6 1/4" and 4 at 2 1/4" x 8" and label "C+D".
- Cut 3 - 2 1/4" x WOF strips, subcut 2 at 12 1/2" for top and bottom piano key blocks, subcut 6 at 10 1/2" for side piano key blocks.

Construction Directions:

Piano Keys Blocks:


Note: Refer to Piano Key Diagram below.

1. Arrange piano key strips $1\frac{1}{2}$ " x $6\frac{1}{4}$ " as shown or choose randomly. Sew strips together in pairs, press, then sew together in fours, press, continuing until there are 6 sets of 10 strips and 2 sets of 12 strips. Cutting Diagram C.
2. Sew a $10\frac{1}{2}$ " x $2\frac{1}{4}$ " 22246W strip to the long side of a piano key section, press toward the dark. Cutting Diagram B
3. Sew a $10\frac{1}{2}$ " x 3" 22246B strip next to the strip sewn in step # 2, press toward the dark. Cutting Diagram A.



Corner "Flower" Blocks:

Note: Refer to diagrams below in assembling Corner "Flower" Blocks.



1. Create B - HSTs:
Position a 22245W 4" square B on top of a 22246B 4" square B. Draw a line diagonally across the Square, taking care to maintain consistent placement of the lettering. Sew $\frac{1}{4}$ inch from each side of the drawn line, then cut on the line and press seam to the dark for 2 HSTs, 4 HSTs needed for each corner block. Trim finished block to measure 3" x 3".

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

2. Stitch one $2\frac{1}{4}$ " x $6\frac{1}{4}$ " 22246W strip to one side of $6\frac{1}{4}$ " square of 22242S. Press towards strip. Add one $2\frac{1}{4}$ " X 8" 22246W strip to side of square abutting end of strip just added. Press towards strip.
3. With marking pencil, draw a diagonal line across wrong side of 6" 22246W square. Place 6" 22246W square on corner of block, right sides together, covering the corner containing the blue strips. Sew on diagonal line. Trim off outer corner pieces leaving $\frac{1}{4}$ " seam allowance. Press towards the corner.
4. Sew together the 3" squares of 22246B with HST's you created in step 1. Follow the quilt diagram - stitch together to create corner block
Make 4.

Putting it all together:

1. Lay out all the quilt center blocks and sew together in horizontal rows, alternating pressing directions with each row.
2. Sew together row to row, nestling seams and pressing toward the top.
3. Border #1:
 - a. Sew together 22243G border strips using mitered joins. Subcut 2 at $34\frac{1}{2}$ ", and 2 at $50\frac{1}{2}$ ".
 - b. Fit and sew longer strips to side of center section, press toward the border strip.
 - c. Fit and sew shorter strips to the top and bottom of the center section, press toward the border strip.
4. Border #2:
 - a. Sew together 22241O border strips using mitered joins. Subcut 2 at $42\frac{1}{2}$ " and 2 at $52\frac{1}{2}$ ".
 - b. Fit and sew longer strips to side of center section, press toward the border strip.
 - c. Fit and sew shorter strips to the top and bottom of the center section, press toward the border strip.
5. Layer top with batting and backing and quilt as desired.

Finishing:

1. Sew binding strips together using mitered joins, press open.
2. Press binding in half lengthwise and sew to quilt edge, mitering corners and final join.
3. Hand sew binding to back using small secure stitches.
4. Label your creation with your name and the date.